

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|------------------|---------|------------------|
| S5 | 272 | S4 and ((network connection server service) near4 (down disconnect\$3 isolat\$3 "cut off")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:02 |
| S6 | 135 | S5 and (((authenticat\$3 authoriz\$3) near3 (user client device unit)) with (access\$3 resource)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:03 |
| S12 | 295 | (((network server service) adj2 (connection link communication)) near4 (down disconnect\$3 isolat\$3 "cut off" inoperative)) and ((authentication authoriz\$5) near2 (user client access)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:28 |
| S74 | 19 | (((stor\$3 cach\$3) near4 (credetial ticket license certificate)) near3 ((gateway proxy middle intermediate local private) adj (server system unit party))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:04 |
| S94 | 175 | "726"/\$.ccls. and ((local\$3 near2 (user client party customer)) with (authenticat\$3 validat\$3 verificat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:00 |
| S95 | 199 | "713"/\$.ccls. and ((local\$3 near2 (user client party customer)) with (authenticat\$3 validat\$3 verificat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 08:59 |
| S97 | 85 | "709"/223-224,217-219.ccls. and ((local\$3 near2 (user client party customer)) with (authenticat\$3 validat\$3 verificat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 08:58 |
| S10 0 | 109 | "709"/223-224,217-219.ccls. and ((local\$3 near2 (user client party customer node)) with (authenticat\$3 validat\$3 verificat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/24 11:03 |
| S10 1 | 103 | "713"/155,156,170,182.ccls. and ((local\$3 near2 (user client party customer node)) with (authenticat\$3 validat\$3 verificat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:00 |
| S10 2 | 65 | "726"/2-4,12.ccls. and ((local\$3 near2 (user client party customer node)) with (authenticat\$3 validat\$3 verificat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/24 11:10 |

EAST Search History

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S10 3 | 46 | "707"/9,10.ccls. and ((local\$3 near2 (user client party customer node)) with (authenticat\$3 validat\$3 verificat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:01 |
| S10 4 | 3734 | "709"/223-224,217-219.ccls. and ((network connection server service authentication) near4 (down disconnect\$3 isolat\$3 "cut off")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:06 |
| S10 5 | 130 | S104 and (((authenticat\$3 authoriz\$3 verify\$3 verificat\$3 validat\$3) near3 (user client device unit node subscriber customer)) with (local\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:06 |
| S10 6 | 21 | S105 and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:07 |
| S10 8 | 1139 | "709"/225,229.ccls. and ((network connection server service authentication) near4 (down disconnect\$3 isolat\$3 "cut off")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:09 |
| S10 9 | 98 | S108 and (((authenticat\$3 authoriz\$3 verify\$3 verificat\$3 validat\$3) near3 (user client device unit node subscriber customer)) with (local\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:08 |
| S11 0 | 27 | S109 and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:08 |
| S11 1 | 325 | "713"/155,156,170,182.ccls. and ((network connection server service authentication) near4 (down disconnect\$3 isolat\$3 "cut off")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:07 |
| S11 2 | 47 | S111 and (((authenticat\$3 authoriz\$3 verify\$3 verificat\$3 validat\$3) near3 (user client device unit node subscriber customer)) with (local\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:09 |
| S11 3 | 16 | S112 and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:20 |

EAST Search History


| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S11 4 | 508 | "726"/2-4,12.ccls. and ((network connection server service authentication) near4 (down disconnect\$3 isolat\$3 "cut off")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:19 |
| S11 5 | 64 | S114 and (((authenticat\$3 authoriz\$3 verify\$3 verificat\$3 validat\$3) near3 (user client device unit node subscriber customer)) with (local\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:19 |
| S11 6 | 15 | S115 and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:10 |
| S11 7 | 2 | "20040003190" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:16 |
| S11 9 | 93 | "726"/1.ccls. and ((network connection server service authentication) near4 (down disconnect\$3 isolat\$3 "cut off")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:22 |
| S12 0 | 11 | S119 and (((authenticat\$3 authoriz\$3 verify\$3 verificat\$3 validat\$3) near3 (user client device unit node subscriber customer)) with (local\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:24 |
| S12 1 | 387 | "370"/\$.ccls. and (((authenticat\$3 authoriz\$3 verify\$3 verificat\$3 validat\$3) near3 (user client device unit node subscriber customer)) with (local\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:20 |
| S12 2 | 126 | S121 and ((network connection server service authentication) near4 (down disconnect\$3 isolat\$3 "cut off")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:20 |
| S12 3 | 11 | S122 and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:21 |
| S12 4 | 40 | 726/5,6,16,17,18.ccls. and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information)))) with local\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/24 11:06 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S12 5 | 178 | 726/5,6,16,17,18.ccls. and ((network connection server service authentication) near4 (down disconnect\$3 isolat\$3 "cut off")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:23 |
| S12 6 | 30 | S125 and (((authenticat\$3 authoriz\$3 verify\$3 verificat\$3 validat\$3) near3 (user client device unit node subscriber customer))) with (local\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:23 |
| S12 7 | 42 | ((philip near childs) or (michael near vanover)). in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:23 |
| S12 8 | 3 | S127 and ((network connection server service authentication) near4 (down disconnect\$3 isolat\$3 "cut off")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:24 |
| S12 9 | 10 | (((authenticat\$3 authoriz\$3 verify\$3 verificat\$3 validat\$3) near3 (user client device unit node subscriber customer))) and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information))) with local\$4) and ((eras\$3 delet\$3 remov\$3) near5 (credential ticket license certificate cookies) with (client user customer device unit)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:27 |
| S13 0 | 1 | (((network server service communication link) near3 (down disconnect\$3 isolat\$3 "cut off" inoperative off\$line disconnect (down adj link crash\$3)) and ((authentication authoriz\$5) near2 (user client device unit customer node)) and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information))) with local\$4)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:46 |
| S13 1 | 34 | (((network server service communication link) and (down disconnect\$3 isolat\$3 "cut off" inoperative off\$line disconnect (down adj link crash\$3)) and ((authentication authoriz\$5) near2 (user client device unit customer node)) and ((stor\$3 cach\$3) and (credetial ticket license certificate credential (authentication near (data information))) and local\$4)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/24 11:05 |
| S13 2 | 52 | (((network server service communication link) and (down disconnect\$3 isolat\$3 "cut off" operative off\$line disconnect (down adj link crash\$3)) and ((authentication authoriz\$5) near2 (user client device unit customer node)) and ((stor\$3 cach\$3) and (credetial ticket license certificate credential (authentication near (data information))) and local\$4)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:45 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S13 3 | 1 | ((network server service communication link) near3 (down disconnect\$3 isolat\$3 "cut off" operative off\$line disconnect (down adj link crash\$3)) and ((authentication authoriz\$5) near2 (user client device unit customer node)) and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information)))) with local\$4)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:46 |
| S13 4 | 2 | ((network server service communication link) near3 (down disconnect\$3 isolat\$3 "cut off" operative off\$line disconnect (down adj link crash\$3)) and ((authentication authoriz\$5) with (user client device unit customer node)) and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information)))) with local\$4)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:47 |
| S13 5 | 2 | ((network server service communication link) near3 (down disconnect\$3 isolat\$3 "cut off" operative off\$line disconnect (down adj link crash\$3)) and ((stor\$3 cach\$3) near4 (credetial ticket license certificate credential (authentication near (data information)))) with local\$4)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/23 09:48 |
| S13 6 | 20 | 705/50,66,67,74.ccls. and ((local\$3 near2 (user client party customer node)) with (authenticat\$3 validat\$3 verificat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/24 11:04 |
| S14 1 | 173 | "705"/50,66,67.ccls. and (((network server service communication link) and (down disconnect\$3 isolat\$3 "cut off" inoperative off\$line disconnect (down adj link crash\$3)) and ((authentication authoriz\$5) near2 (user client device unit customer node)) and ((stor\$3 cach\$3) and (credetial ticket license certificate credential (authentication near (data information)))) and local\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/24 11:06 |



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

(network OR server) AND (down OR inoperative)

[Search Patents](#)

[Advanced Patent Search](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Patents Patents 1 - 10 on (network OR server) AND (down OR inoperative) AND authentication AND (Lo

Supporting authentication across multiple network access servers

US Pat. 6011910 - Filed Apr 8, 1997 - 3Com Corporation

In doing so, it first attempts to tear **down** a link through a remote ... At step 1601, the **local** line **server** performs **authentication** functions on the client ...

Device and process for remote authentication of a user

US Pat. 6981145 - Filed Feb 8, 2000 - Bull S.A.

The remote **server** 3 and each **local** machine ... The **authentication** described above in the normal mode is called **network authentication**. ...

Method and apparatus for data routing, delivery, and authentication in a packet data network

US Pat. 6181692 - Filed Sep 3, 1998 - Genesys Telecommunications Laboratories Inc

US BI METHOD AND APPARATUS FOR DATA ROUTING, DELIVERY, AND AUTHENTICATION IN A PACKET DATA NETWORK 5 FIELD OF THE INVENTION The present invention is in the ...

Out-of-band remote management station

US Pat. 7171467 - Filed Jun 13, 2003 - Engedi Technologies, Inc.

The isolated challenge mode could be the second choice of **authentication** if the connection to the TACACS+ **server** is **down**. This would allow continued use of ...

Method and apparatus for data routing, delivery, and authentication in a packet data network

US Pat. 6512763 - Filed Mar 14, 2000 - Genesys Telecommunications Laboratories, Inc.

Routers in the **network** are equipped with rout- 09/146630, filed on Sep. ... are a good example of such **server** is **down** M^ random distribution of packets may ...

System and method for enabling encryption/authentication of a telephony network

US Pat. 6857072 - Filed Sep 27, 1999 - 3Com Corporation

1 for enabling encryption and/or **authentication** according to the present invention. The system 200 in FIG. 2 includes a **local** area **network** 212, connected to ...

System and method for single sign-on to a plurality of network elements

US Pat. 5944824 - Filed Apr 30, 1997 - MCI Communications Corporation

30 **Local authentication** mechanisms in the nes may become unnecessary because of ... of **network** security in **network server** with **local** security mechanisms, ...

Network-based authentication of computer user

US Pat. 6338138 - Filed Jun 29, 1998 - Sun Microsystems, Inc.

Some of these services are **local** to the computer in that they are performed ... To enable the user to use this subset, the **authentication** manager **down**- 50 ...

Authentication and handover methods and systems for radio personal communications

US Pat. 5598459 - Filed Jun 29, 1995 - Ericsson Inc.

Accordingly, upon entry of the radio terminal into the **local network**, the radio terminal relays **authentication** information between the **local network** and the ...

Authentication apparatus and process

US Pat. 5678004 - Filed Nov 5, 1996 - NEC America, Inc.

There is no actual physical binding that occurs until the **network** traffic demands



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((network or server<in>metadata) <and> ((down or inoperative)<in>metadata))&..."

☐ e-mail

Your search matched 19 of 1551427 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

((network or server<in>metadata) <and> ((down or inoperative)<in>metadata))<a

Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract
☐ view selected items

[Select All](#) [Deselect All](#)

- ☐ 1. A novel privacy preserving authentication and access control scheme for computing environments
 Ren, K.; Wenjing Lou; Kwangjo Kim; Deng, R.; Vehicular Technology, IEEE Transactions on
 Volume 55, Issue 4, July 2006 Page(s):1373 - 1384
 Digital Object Identifier 10.1109/TVT.2006.877704
[AbstractPlus](#) | Full Text: [PDF](#)(480 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. Scalable authentication of MPEG-4 streams
 Yongdong Wu; Deng, R.H.; Multimedia, IEEE Transactions on
 Volume 8, Issue 1, Feb. 2006 Page(s):152 - 161
 Digital Object Identifier 10.1109/TMM.2005.861283
[AbstractPlus](#) | Full Text: [PDF](#)(448 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. Typing Biometrics User Authentication based on Fuzzy Logic
 Freire Araujo, L.C.; Gustavo Lizarraga, M.; Rabelo Sucupira, L.H.; Tadanobu Y Luan Ling Lee;
 Latin America Transactions, IEEE (Revista IEEE America Latina)
 Volume 2, Issue 1, March 2004 Page(s):1 - 1
[AbstractPlus](#) | Full Text: [PDF](#)(296 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. Revisiting single sign-on: a pragmatic approach in a new context
 Volchkov, A.; IT Professional
 Volume 3, Issue 1, Jan.-Feb. 2001 Page(s):39 - 45
 Digital Object Identifier 10.1109/6294.899932
[AbstractPlus](#) | Full Text: [PDF](#)(428 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. User authentication through typing biometrics features
 Araujo, L.C.F.; Sucupira, L.H.R., Jr.; Lizarraga, M.G.; Ling, L.L.; Yabu-Uti, J.B.; Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Sig IEEE Transactions on]
 Volume 53, Issue 2, Part 2, Feb. 2005 Page(s):851 - 855
 Digital Object Identifier 10.1109/TSP.2004.839903(410) 53
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(184 KB) IEEE JNL
[Rights and Permissions](#)